

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:)
FOORE ET AL.)

Serial No. 10/767,326)

Confirmation No. 5495)

Filing Date: JANUARY 29, 2004)

Attorney Docket No. 55304 CON3

For: DYNAMIC FRAME SIZE ADJUSTMENT)
AND SELECTIVE REJECT ON A)
MULTI-LINK CHANNEL TO IMPROVE)
EFFECTIVE THROUGHPUT AND BIT)
ERROR RATE)

REQUEST FOR CORRECTION TO THE FILING RECEIPT


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The filing receipt for the subject patent application has been received and reviewed for accuracy. A discrepancy has been discovered. The filing receipt in error does not list the address of the Assignee. The correct Assignee's information is Tantivy Communications, Inc., Wilmington, DE. In addition, please change the attorney docket number to 55304_CON3.

In view of the errors noted, it is respectfully requested that a corrected filing receipt be issued in this application. If any fee is believed to be necessary, authorization is given to charge Deposit Account No. 01-0484.

Respectfully submitted,


MICHAEL W. TAYLOR
Reg. No. 43,182
Allen, Dyer, Doppelt, Milbrath &
Gilchrist, P.A.
255 S. Orange Avenue, Suite 1401
Post Office Box 3791
Orlando, Florida 32802
407/841-2330
Attorney for Applicants

In re Patent Application of:
FOORE ET AL.
Serial No. 10/767,326
Confirmation No. 5495
Filed: JANUARY 29, 2004

CERTIFICATE OF FACSIMILE

I HEREBY CERTIFY that this REQUEST FOR CORRECTION TO
THE FILING RECEIPT for U.S. Serial No. 10/767,326 is being
submitted via telefacsimile no. 703-746-9195 to: OFFICE OF INITIAL
PATENT EXAMINATION'S FILING RECEIPT CORRECTIONS, P.O. BOX 1450
ALEXANDRIA, VA 22313-1450, this 15th day of July, 2004.

